

Developer Report

Acunetix Security Audit

2025-08-28

Scan of ap.tnnua.edu.tw

Scan details

Scan information	
Start time	2025-08-28T17:00:00.818432+08:00
Start url	https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx
Host	ap.tnnua.edu.tw
Scan time	39 minutes, 22 seconds
Profile	Full Scan
Responsive	True
Server OS	Windows
Server technologies	ASP.NET
Application build	25.4.250417124

Threat level

Acunetix Threat Level 3

One or more high-severity type vulnerabilities have been discovered by the scanner. A malicious user can exploit these vulnerabilities and compromise the backend database and/or deface your website.

Alerts distribution

Total alerts found	17
 Critical	0
 High	1
 Medium	10
 Low	2
 Informational	4

Alerts summary

 Insecure Transportation Security Protocol Supported (TLS 1.0)

Classification		
CVSS4	CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:L/SI:L/SA:N Base Score: 6.3 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: Low Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: Low Integrity Impact to the Subsequent System: Low Availability Impact to the Subsequent System: None	
CVSS3	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:L/I:L/A:N Base Score: 5.4 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CVSS2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined	
CWE	CWE-326	
Affected items		Variation
Web Server		1

 HTTP Strict Transport Security (HSTS) Policy Not Enabled

Classification

CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Active Confidentiality Impact to the Vulnerable System: None Integrity Impact to the Vulnerable System: None Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:N/I:N/A:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected items	Variation
Web Server	1

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Classification	
CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-707

CVE	CVE-2012-6708
Affected items	Variation
Web Server	1

 jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Classification	
CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-707
CVE	CVE-2011-4969
Affected items	Variation
Web Server	1

 jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Classification	
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-707
CVE	CVE-2020-7656
Affected items	Variation
Web Server	1

 jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Classification	
----------------	--

CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CWE	CWE-707	
CVE	CVE-2015-9251	
Affected items		Variation
Web Server		1

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability		
Classification		
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CWE	CWE-707	
CVE	CVE-2020-11023	
Affected items		Variation
Web Server		1

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability		
Classification		
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CWE	CWE-707	
CVE	CVE-2020-11022	
Affected items		Variation
Web Server		1

jQuery Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution') Vulnerability		
--	--	--

Classification		
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N Base Score: 6.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	
CWE	CWE-1321	
CVE	CVE-2019-11358	
Affected items		Variation
Web Server		1

TLS/SSL Weak Cipher Suites

Classification		
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N Base Score: 6.9 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: Low Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None	
CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None	

CVSS2	Base Score: 3.3 Access Vector: Local_access Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-310
Affected items	Variation
Web Server	1

 Vulnerable JavaScript libraries

Classification	
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N Base Score: 6.9 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: Low Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-937
Affected items	Variation
Web Server	1

▼ Cookies Not Marked as Secure

Classification	
CVSS4	CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N Base Score: 2.1 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: Active Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: None Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N Base Score: 3.1 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None

CVSS2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-614
Affected items	Variation
Web Server	1

ViewsState is not Encrypted

Classification	
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N Base Score: 6.9 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: Low Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-200
Affected items	Variation
Web Server	1

 Content Security Policy (CSP) Not Implemented

Classification	
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Active Confidentiality Impact to the Vulnerable System: None Integrity Impact to the Vulnerable System: None Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:N/I:N/A:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: None Integrity Impact: None Availability Impact: None

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-1021
Affected items	Variation
Web Server	1

 Generic Email Address Disclosure

Classification	
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: None Integrity Impact to the Vulnerable System: None Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-200
Affected items	Variation
Web Server	1

 Insecure Transportation Security Protocol Supported (TLS 1.1)

Classification	
CVSS4	CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:L/SI:N/SA:N Base Score: 6.3 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Confidentiality Impact to the Vulnerable System: Low Integrity Impact to the Vulnerable System: Low Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: Low Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:L/I:L/A:N Base Score: 5.4 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None

CVSS2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-326
Affected items	Variation
Web Server	1

 Permissions-Policy header not implemented

Classification	
CVSS4	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Active Confidentiality Impact to the Vulnerable System: None Integrity Impact to the Vulnerable System: None Availability Impact to the Vulnerable System: None Confidentiality Impact to the Subsequent System: None Integrity Impact to the Subsequent System: None Availability Impact to the Subsequent System: None
CVSS3	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:N/I:N/A:N Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Changed Confidentiality Impact: None Integrity Impact: None Availability Impact: None

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined	
CWE	CWE-1021	
Affected items	Variation	
Web Server	1	

Alerts details

 Insecure Transportation Security Protocol Supported (TLS 1.0)

Severity	High
Reported by module	/Scripts/PerServer/SSL_Audit.script

Description

The web server supports encryption through TLS 1.0, which was formally deprecated in March 2021 as a result of inherent security issues. In addition, TLS 1.0 is not considered to be "strong cryptography" as defined and required by the PCI Data Security Standard 3.2(.1) when used to protect sensitive information transferred to or from web sites. According to PCI, "30 June 2018 is the deadline for disabling SSL/early TLS and implementing a more secure encryption protocol – TLS 1.1 or higher (TLS v1.2 is strongly encouraged) in order to meet the PCI Data Security Standard (PCI DSS) for safeguarding payment data.

Impact

An attacker may be able to exploit this problem to conduct man-in-the-middle attacks and decrypt communications between the affected service and clients.

Recommendation

It is recommended to disable TLS 1.0 and replace it with TLS 1.2 or higher.

References

[RFC 8996: Deprecating TLS 1.0 and TLS 1.1](https://tools.ietf.org/html/rfc8996) (<https://tools.ietf.org/html/rfc8996>)
[Are You Ready for 30 June 2018? Saying Goodbye to SSL/early TLS](https://blog.pcisecuritystandards.org/are-you-ready-for-30-june-2018-sayin-goodbye-to-ssl-early-tls) (<https://blog.pcisecuritystandards.org/are-you-ready-for-30-june-2018-sayin-goodbye-to-ssl-early-tls>)
[PCI 3.1 and TLS 1.2 \(Cloudflare Support\)](https://support.cloudflare.com/hc/en-us/articles/205043158-PCI-3-1-and-TLS-1-2) (<https://support.cloudflare.com/hc/en-us/articles/205043158-PCI-3-1-and-TLS-1-2>)

Affected items

Web Server
Details
The SSL server (port: 443) encrypts traffic using TLSv1.0.
Request headers

 HTTP Strict Transport Security (HSTS) Policy Not Enabled

Severity	Medium
Reported by module	/httpdata/HSTS_not_implemented.js

Description

HTTP Strict Transport Security (HSTS) tells a browser that a web site is only accessible using HTTPS. It was detected that your web application doesn't implement HTTP Strict Transport Security (HSTS) as the Strict Transport Security header is missing from the response.

Impact

HSTS can be used to prevent and/or mitigate some types of man-in-the-middle (MitM) attacks

Recommendation

It's recommended to implement HTTP Strict Transport Security (HSTS) into your web application. Consult web references for more information

References

hstspreload.org (<https://hstspreload.org/>)
[Strict-Transport-Security](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security) (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>)

Affected items

Web Server
Details
URLs where HSTS is not enabled: - https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx - https://ap.tnnua.edu.tw/CourseInfo/Core_Capability_CourseList.aspx - https://ap.tnnua.edu.tw/CourseInfo/ScriptResource.axd - https://ap.tnnua.edu.tw/CourseInfo/WebResource.axd - https://ap.tnnua.edu.tw/CourseInfo/RoomCourseList.aspx - https://ap.tnnua.edu.tw/CourseInfo/TeacherCourseList.aspx - https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx - https://ap.tnnua.edu.tw/CourseInfo/CM_Data_Detail.aspx - https://ap.tnnua.edu.tw/CourseInfo/Course_Sems.aspx - https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx - https://ap.tnnua.edu.tw/CourseInfo/Script/Default.js - https://ap.tnnua.edu.tw/CourseInfo/Style/Site.css - https://ap.tnnua.edu.tw/CourseInfo/Script/jquery-1.9.1.js - https://ap.tnnua.edu.tw/CourseInfo/Style/Styles.css - https://ap.tnnua.edu.tw/CourseInfo/Script/ - https://ap.tnnua.edu.tw/CourseInfo/Style/ - https://ap.tnnua.edu.tw/CourseInfo/Course_Indicators.aspx - https://ap.tnnua.edu.tw/CourseInfo/Show_Course_Map_File.aspx - https://ap.tnnua.edu.tw/CourseInfo/Print_Course_Syllabus.aspx - https://ap.tnnua.edu.tw/CourseInfo/rptCourse_CoreII.aspx - https://ap.tnnua.edu.tw/CourseInfo/Reserved.ReportViewerWebControl.axd
Request headers
GET /CourseInfo/CourseList.aspx HTTP/1.1
Referer: https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
Host: ap.tnnua.edu.tw
Connection: Keep-alive

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

jQuery before 1.9.0 is vulnerable to Cross-site Scripting (XSS) attacks. The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.

Impact

Recommendation

References

[CVE-2012-6708](https://nvd.nist.gov/vuln/detail/CVE-2012-6708) (https://nvd.nist.gov/vuln/detail/CVE-2012-6708)
[CVE-2012-6708](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2012-6708) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2012-6708)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.

Impact

Recommendation

References

[CVE-2011-4969](https://nvd.nist.gov/vuln/detail/CVE-2011-4969) (https://nvd.nist.gov/vuln/detail/CVE-2011-4969)
[CVE-2011-4969](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2011-4969) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2011-4969)

Affected items

Web Server

Details
jquery v1.4.1-1.4.1
Request headers

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

jquery prior to 1.9.0 allows Cross-site Scripting attacks via the load method. The load method fails to recognize and remove "<script>" HTML tags that contain a whitespace character, i.e: "</script >", which results in the enclosed script logic to be executed.

Impact

Recommendation

References

[CVE-2020-7656](https://nvd.nist.gov/vuln/detail/CVE-2020-7656) (https://nvd.nist.gov/vuln/detail/CVE-2020-7656)
[CVE-2020-7656](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-7656) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-7656)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers

jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

jQuery before 3.0.0 is vulnerable to Cross-site Scripting (XSS) attacks when a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Impact

Recommendation

References

[CVE-2015-9251](https://nvd.nist.gov/vuln/detail/CVE-2015-9251) (https://nvd.nist.gov/vuln/detail/CVE-2015-9251)
[CVE-2015-9251](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2015-9251) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2015-9251)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers



jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Impact

Recommendation

References

- [CVE-2020-11023](https://nvd.nist.gov/vuln/detail/CVE-2020-11023) (https://nvd.nist.gov/vuln/detail/CVE-2020-11023)
- [CVE-2020-11023](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-11023) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-11023)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers



jQuery Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Impact

Recommendation

References

[CVE-2020-11022](https://nvd.nist.gov/vuln/detail/CVE-2020-11022) (https://nvd.nist.gov/vuln/detail/CVE-2020-11022)
[CVE-2020-11022](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-11022) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-11022)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers

 jQuery Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution') Vulnerability

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Impact

Recommendation

References

[CVE-2019-11358](https://nvd.nist.gov/vuln/detail/CVE-2019-11358) (https://nvd.nist.gov/vuln/detail/CVE-2019-11358)
[CVE-2019-11358](http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2019-11358) (http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2019-11358)

Affected items

Web Server
Details
jquery v1.4.1-1.4.1
Request headers

 TLS/SSL Weak Cipher Suites

Severity	Medium
Reported by module	/Scripts/PerServer/SSL_Audit.script

Description

The remote host supports TLS/SSL cipher suites with weak or insecure properties.

Impact

Recommendation

Reconfigure the affected application to avoid use of weak cipher suites.

References

[OWASP: TLS Cipher String Cheat Sheet](https://cheatsheetseries.owasp.org/cheatsheets/TLS_Cipher_String_Cheat_Sheet.html)
(https://cheatsheetseries.owasp.org/cheatsheets/TLS_Cipher_String_Cheat_Sheet.html)
[OWASP: Transport Layer Protection Cheat Sheet](https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html)
(https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html)
[Mozilla: TLS Cipher Suite Recommendations](https://wiki.mozilla.org/Security/Server_Side_TLS) (https://wiki.mozilla.org/Security/Server_Side_TLS)
[SSLabs: SSL and TLS Deployment Best Practices](https://github.com/ssllabs/research/wiki/SSL-and-TLS-Deployment-Best-Practices) (https://github.com/ssllabs/research/wiki/SSL-and-TLS-Deployment-Best-Practices)
[RFC 9155: Deprecating MD5 and SHA-1 Signature Hashes in TLS 1.2 and DTLS 1.2](https://datatracker.ietf.org/doc/html/rfc9155)
(https://datatracker.ietf.org/doc/html/rfc9155)

Affected items

Web Server
Details
Weak TLS/SSL Cipher Suites: (offered via TLS1.0 on port 443): - TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA - TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA - TLS_RSA_WITH_AES_128_CBC_SHA - TLS_RSA_WITH_AES_256_CBC_SHA
Weak TLS/SSL Cipher Suites: (offered via TLS1.1 on port 443): - TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA - TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA - TLS_RSA_WITH_AES_128_CBC_SHA - TLS_RSA_WITH_AES_256_CBC_SHA
Weak TLS/SSL Cipher Suites: (offered via TLS1.2 on port 443): - TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA - TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA - TLS_RSA_WITH_AES_128_GCM_SHA256 - TLS_RSA_WITH_AES_256_GCM_SHA384 - TLS_RSA_WITH_AES_128_CBC_SHA256 - TLS_RSA_WITH_AES_256_CBC_SHA256 - TLS_RSA_WITH_AES_128_CBC_SHA - TLS_RSA_WITH_AES_256_CBC_SHA
Request headers

 Vulnerable JavaScript libraries

Severity	Medium
Reported by module	/deepscan/javascript_library_audit_deepscan.js

Description

You are using one or more vulnerable JavaScript libraries. One or more vulnerabilities were reported for this version of the library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

Impact

Consult References for more information.

Recommendation

Upgrade to the latest version.

References

[How Invicti identifies Out-of-date technologies](https://www.invicti.com/support/how-invicti-identifies-outofdate/) (https://www.invicti.com/support/how-invicti-identifies-outofdate/)

Affected items

Web Server

Details

- **jQuery 1.4.1**
 - URL: <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>
 - Detection method: The library's name and version were determined based on its dynamic behavior.
 - CVE-ID: CVE-2011-4969, CVE-2015-9251, CVE-2020-11022, CVE-2020-11023
 - Description: Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag. / Selector interpreted as HTML / Possible Cross Site Scripting via third-party text/javascript responses / In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0. / In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing option elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.
 - References:
 - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2011-4969>
 - <http://research.insecurelabs.org/jquery/test/>
 - <http://bugs.jquery.com/ticket/11290>
 - <https://github.com/jquery/jquery/issues/2432>
 - <http://blog.jquery.com/2016/01/08/jquery-2-2-and-1-12-released/>
 - <https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/>
 - <https://mksben.io.cm/2020/05/jquery3.5.0-xss.html>
 - <https://jquery.com/upgrade-guide/3.5/>
 - <https://api.jquery.com/jQuery.htmlPrefilter/>
 - <https://www.cvedetails.com/cve/CVE-2020-11022/>
 - <https://github.com/advisories/GHSA-gxr4-xjj5-5px2>
 - <https://www.cvedetails.com/cve/CVE-2020-11023/>
 - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>

Request headers

```
GET /CourseInfo/CourseList.aspx HTTP/1.1

Referer: https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36

Host: ap.tnnua.edu.tw

Connection: Keep-alive
```

▼ **Cookies Not Marked as Secure**

Severity	Low
Reported by module	/RPA/Cookie_Without_Secure.js

Description

One or more cookies does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

Impact

Cookies could be sent over unencrypted channels.

Recommendation

If possible, you should set the Secure flag for these cookies.

References

[SameSite None Cookie Not Marked as Secure - Invicti](https://www.invicti.com/web-vulnerability-scanner/vulnerabilities/samesite-none-cookie-not-marked-as-secure/) (<https://www.invicti.com/web-vulnerability-scanner/vulnerabilities/samesite-none-cookie-not-marked-as-secure/>)

Affected items

Web Server
Verified vulnerability
Details

Cookies without Secure flag set:

- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>

```
Set-Cookie: ASP.NET_SessionId=vnkvk5kj5gvpi0bvpp4qo5jf; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/>

```
Set-Cookie: ASP.NET_SessionId=savtayk451wubcyf5zyke55x; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/>

```
Set-Cookie: ASP.NET_SessionId=jupil5shpo1lioqlb45quif5; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/Reserved.ReportViewerWebControl.axd>

```
Set-Cookie: ASP.NET_SessionId=vq0bjvz40xrbngw2lpxa1roq; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/ChartImg.axd>

```
Set-Cookie: ASP.NET_SessionId=ssbwlpftxqlil4nddlglxftl; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/Reserved.ReportViewerWebControl.axd>

```
Set-Cookie: ASP.NET_SessionId=lypjyjkjrzapiilm4bi5vkjcz; path=/; HttpOnly; SameSite=Lax
```

- https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx

```
Set-Cookie: ASP.NET_SessionId=njr1ojs3w55w4kyo41pghpvw; path=/; HttpOnly; SameSite=Lax
```

- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>

```
Set-Cookie: ASP.NET_SessionId=azfgsbp0scslqqfgw1cl0q4v; path=/; HttpOnly; SameSite=Lax
```

- https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx

```
Set-Cookie: ASP.NET_SessionId=r3egpsybnsp3zmvph2jd0vx; path=/; HttpOnly; SameSite=Lax
```

- https://ap.tnnua.edu.tw/CourseInfo/Print_Course_Syllabus.aspx

```
Set-Cookie: ASP.NET_SessionId=lrdpi0pzwlgsm2vjjing535d; path=/; HttpOnly; SameSite=Lax
```

- https://ap.tnnua.edu.tw/CourseInfo/Show_Course_Map_File.aspx

Set-Cookie: ASP.NET_SessionId=k3asrwistao5zhjjwy4xvinl; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx

Set-Cookie: ASP.NET_SessionId=gw42oeuv5keorystb15stum5; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/rptCourse_Corell.aspx

Set-Cookie: ASP.NET_SessionId=mb343bgknikqfws0p4ob10wm; path=/; HttpOnly; SameSite=Lax

- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>

Set-Cookie: ASP.NET_SessionId=n12c51uihxqlmu5n3axwt5vb; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx

Set-Cookie: ASP.NET_SessionId=umoh11cgnkp3sbua0prxrswk; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/Print_Course_Syllabus.aspx

Set-Cookie: ASP.NET_SessionId=rhbr3bilpfiebpzlnyywiiuj; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/Show_Course_Map_File.aspx

Set-Cookie: ASP.NET_SessionId=hnpyu4dcpbhlicwwf1hybvo; path=/; HttpOnly; SameSite=Lax

- https://ap.tnnua.edu.tw/CourseInfo/rptCourse_Corell.aspx

Set-Cookie: ASP.NET_SessionId=2ly2lvwfwbuhbevvhxu4f1n; path=/; HttpOnly; SameSite=Lax

Request headers

GET /CourseInfo/CourseList.aspx HTTP/1.1

Referer: https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36

Host: ap.tnnua.edu.tw

Connection: Keep-alive

▼ **ViewState is not Encrypted**

Severity	Low
Reported by module	/RPA/Unencrypted_VIEWSTATE.js

Description

The __VIEWSTATE parameter is not encrypted for one or more pages. To reduce the chance of someone intercepting the information stored in the ViewState, it is good design to encrypt the ViewState.

Impact

Possible sensitive information disclosure.

Recommendation

Turn on the encryption mode for the view state. Consult web references for more information, taking into consideration ASP.NET version

References

[Page.ViewStateEncryptionMode Property](https://docs.microsoft.com/en-us/dotnet/api/system.web.ui.page.viewstateencryptionmode?redirectedfrom=MSDN&view=netframework-4.7.2) (https://docs.microsoft.com/en-us/dotnet/api/system.web.ui.page.viewstateencryptionmode?redirectedfrom=MSDN&view=netframework-4.7.2)

[Cryptographic Improvements in ASP.NET 4.5, pt. 2](https://devblogs.microsoft.com/aspnet/cryptographic-improvements-in-asp-net-4-5-pt-2/) (https://devblogs.microsoft.com/aspnet/cryptographic-improvements-in-asp-net-4-5-pt-2/)

[Working with ViewState](http://appetere.com/post/working-with-viewstate) (http://appetere.com/post/working-with-viewstate)

Affected items

Web Server
Details

Pages with unencrypted __VIEWSTATE parameter:

- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>
Strings extracted(truncated):

914877603

DataTextField

acad_year

DataValueField

```
!DataBoundg
```

gg

- https://ap.tnnua.edu.tw/CourseInfo/Core_Capability_CourseList.aspx
Strings extracted(truncated):

935264090

DataTextField

acad_year

DataValueField

!DataBoundgd

[illegible]

Request headers

```
GET /CourseInfo/CourseList.aspx HTTP/1.1
```

Referer: <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

```
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/135.0.0.0 Safari/537.36
```

Host: ap.tnnua.edu.tw

Connection: Keep-alive

Content Security Policy (CSP) Not Implemented

Severity	Informational
Reported by module	/httpdata/CSP_not_implemented.js

Description

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:
  default-src 'self';
  script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

Impact

CSP can be used to prevent and/or mitigate attacks that involve content/code injection, such as cross-site scripting/XSS attacks, attacks that require embedding a malicious resource, attacks that involve malicious use of iframes, such as clickjacking attacks, and others.

Recommendation

It's recommended to implement Content Security Policy (CSP) into your web application. Configuring Content Security Policy involves adding the **Content-Security-Policy** HTTP header to a web page and giving it values to control resources the user agent is allowed to load for that page.

References

[Content Security Policy \(CSP\)](https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP) (https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP)
[Implementing Content Security Policy](https://hacks.mozilla.org/2016/02/implementing-content-security-policy/) (https://hacks.mozilla.org/2016/02/implementing-content-security-policy/)

Affected items

Web Server
Details

Paths without CSP header:

- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>
- https://ap.tnnua.edu.tw/CourseInfo/Core_Capability_CourseList.aspx
- <https://ap.tnnua.edu.tw/CourseInfo/ScriptResource.axd>
- <https://ap.tnnua.edu.tw/CourseInfo/WebResource.axd>
- <https://ap.tnnua.edu.tw/CourseInfo/RoomCourseList.aspx>
- <https://ap.tnnua.edu.tw/CourseInfo/TeacherCourseList.aspx>
- https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx
- https://ap.tnnua.edu.tw/CourseInfo/Course_Sems.aspx
- https://ap.tnnua.edu.tw/CourseInfo/CM_Data_Detail.aspx
- <https://ap.tnnua.edu.tw/CourseInfo/Script/Default.js>
- <https://ap.tnnua.edu.tw/CourseInfo/Style/Site.css>
- <https://ap.tnnua.edu.tw/CourseInfo/Script/jquery-1.9.1.js>
- <https://ap.tnnua.edu.tw/CourseInfo/Style/Styles.css>
- <https://ap.tnnua.edu.tw/CourseInfo/Script/>
- <https://ap.tnnua.edu.tw/CourseInfo/Style/>
- https://ap.tnnua.edu.tw/CourseInfo/Course_Indicators.aspx
- https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx
- https://ap.tnnua.edu.tw/CourseInfo/Show_Course_Map_File.aspx
- https://ap.tnnua.edu.tw/CourseInfo/Print_Course_Syllabus.aspx
- https://ap.tnnua.edu.tw/CourseInfo/rptCourse_Corell.aspx
- <https://ap.tnnua.edu.tw/CourseInfo/Reserved.ReportViewerWebControl.axd>

Request headers

GET /CourseInfo/CourseList.aspx HTTP/1.1

Referer: https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36

Host: ap.tnnua.edu.tw

Connection: Keep-alive

 Generic Email Address Disclosure

Severity	Informational
Reported by module	/httpdata/text_search.js

Description

One or more email addresses have been found on this website. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

Impact

Email addresses posted on Web sites may attract spam.

Recommendation

Check references for details on how to solve this problem.

References

[Anti-spam techniques](https://en.wikipedia.org/wiki/Anti-spam_techniques) (https://en.wikipedia.org/wiki/Anti-spam_techniques)

Affected items

Web Server
Details
Emails found: https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx em1208@mail.tnnua.edu.tw
Request headers

GET /CourseInfo/Course_Map.aspx HTTP/1.1

Referer: https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx

Cookie: ASP.NET_SessionId=2w5ols503jspm1w11au5hpl

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36

Host: ap.tnnua.edu.tw

Connection: Keep-alive

 Insecure Transportation Security Protocol Supported (TLS 1.1)

Severity	Informational
Reported by module	/Scripts/PerServer/SSL_Audit.script

Description

The web server supports encryption through TLS 1.1, which was formally deprecated in March 2021 as a result of inherent security issues. When aiming for Payment Card Industry (PCI) Data Security Standard (DSS) compliance, it is recommended to use TLS 1.2 or higher instead. According to PCI, "30 June 2018 is the deadline for disabling SSL/early TLS and implementing a more secure encryption protocol – TLS 1.1 or higher (TLS v1.2 is strongly encouraged) in order to meet the PCI Data Security Standard (PCI DSS) for safeguarding payment data.

Impact

An attacker may be able to exploit this problem to conduct man-in-the-middle attacks and decrypt communications between the affected service and clients.

Recommendation

It is recommended to disable TLS 1.1 and replace it with TLS 1.2 or higher.

References

[RFC 8996: Deprecating TLS 1.0 and TLS 1.1](https://tools.ietf.org/html/rfc8996) (https://tools.ietf.org/html/rfc8996)

[Are You Ready for 30 June 2018? Saying Goodbye to SSL/early TLS](https://blog.pcisecuritystandards.org/are-you-ready-for-30-june-2018-sayin-goodbye-to-ssl-early-tls) (https://blog.pcisecuritystandards.org/are-you-ready-for-30-june-2018-sayin-goodbye-to-ssl-early-tls)

[PCI 3.1 and TLS 1.2 \(Cloudflare Support\)](https://support.cloudflare.com/hc/en-us/articles/205043158-PCI-3-1-and-TLS-1-2) (https://support.cloudflare.com/hc/en-us/articles/205043158-PCI-3-1-and-TLS-1-2)

Affected items

Web Server
Details
The SSL server (port: 443) encrypts traffic using TLSv1.1.

Permissions-Policy header not implemented

Severity	Informational
Reported by module	/httpdata/permissions_policy.js

Description

The Permissions-Policy header allows developers to selectively enable and disable use of various browser features and APIs.

Impact**Recommendation****References**

[Permissions-Policy / Feature-Policy \(MDN\)](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy) (https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy)
[Permissions Policy \(W3C\)](https://www.w3.org/TR/permissions-policy-1/) (https://www.w3.org/TR/permissions-policy-1/)

Affected items**Web Server**

Details

Locations without Permissions-Policy header:

- <https://ap.tnnua.edu.tw/CourseInfo/>
- <https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>
- <https://ap.tnnua.edu.tw/CourseInfo/Styles/Site.css>
- <https://ap.tnnua.edu.tw/CourseInfo/image/>
- <https://ap.tnnua.edu.tw/CourseInfo/Styles/>
- <https://ap.tnnua.edu.tw/CourseInfo/report/>
- https://ap.tnnua.edu.tw/CourseInfo/Core_Capability_CourseList.aspx
- <https://ap.tnnua.edu.tw/CourseInfo/Scripts/>
- <https://ap.tnnua.edu.tw/CourseInfo/ScriptResource.axd>
- <https://ap.tnnua.edu.tw/CourseInfo/WebResource.axd>
- <https://ap.tnnua.edu.tw/CourseInfo/RoomCourseList.aspx>
- <https://ap.tnnua.edu.tw/CourseInfo/TeacherCourseList.aspx>
- https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx
- https://ap.tnnua.edu.tw/CourseInfo/CM_Data_Detail.aspx
- https://ap.tnnua.edu.tw/CourseInfo/Course_Sems.aspx
- https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx
- <https://ap.tnnua.edu.tw/CourseInfo/Script/Default.js>
- <https://ap.tnnua.edu.tw/CourseInfo/Style/Site.css>
- <https://ap.tnnua.edu.tw/CourseInfo/Script/jquery-1.9.1.js>
- <https://ap.tnnua.edu.tw/CourseInfo/Style/Styles.css>
- <https://ap.tnnua.edu.tw/CourseInfo/Script/>

GET /CourseInfo/ HTTP/1.1

Referer: <https://ap.tnnua.edu.tw/CourseInfo/>

Cookie: ASP.NET_SessionId=s2sz1pgjdo33xj2uuq2phtv5

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Encoding: gzip,deflate,br

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36

Host: ap.tnnua.edu.tw

Connection: Keep-alive

Scanned items (coverage report)

<https://ap.tnnua.edu.tw/>
<https://ap.tnnua.edu.tw/CourseInfo/>
<https://ap.tnnua.edu.tw/CourseInfo/Blank.aspx>
<https://ap.tnnua.edu.tw/CourseInfo/ChartImg.axd>
https://ap.tnnua.edu.tw/CourseInfo/CM_Data_Detail.aspx
https://ap.tnnua.edu.tw/CourseInfo/CM_Dept_Radar.aspx
https://ap.tnnua.edu.tw/CourseInfo/Core_Capability_CourseList.aspx
https://ap.tnnua.edu.tw/CourseInfo/Course_Indicators.aspx
https://ap.tnnua.edu.tw/CourseInfo/Course_Map.aspx
https://ap.tnnua.edu.tw/CourseInfo/Course_Sems.aspx
<https://ap.tnnua.edu.tw/CourseInfo/CourseList.aspx>
<https://ap.tnnua.edu.tw/CourseInfo/image/>
<https://ap.tnnua.edu.tw/CourseInfo/Login.aspx>
https://ap.tnnua.edu.tw/CourseInfo/Print_Course_Syllabus.aspx
<https://ap.tnnua.edu.tw/CourseInfo/report/>
<https://ap.tnnua.edu.tw/CourseInfo/Reserved.ReportViewerWebControl.axd>
<https://ap.tnnua.edu.tw/CourseInfo/RoomCourseList.aspx>
https://ap.tnnua.edu.tw/CourseInfo/rptCourse_CoreII.aspx
<https://ap.tnnua.edu.tw/CourseInfo/Script/>
<https://ap.tnnua.edu.tw/CourseInfo/Script/Default.js>
<https://ap.tnnua.edu.tw/CourseInfo/Script/jquery-1.9.1.js>
<https://ap.tnnua.edu.tw/CourseInfo/ScriptResource.axd>
<https://ap.tnnua.edu.tw/CourseInfo/Scripts/>
<https://ap.tnnua.edu.tw/CourseInfo/Scripts/Default.js>
<https://ap.tnnua.edu.tw/CourseInfo/Scripts/jquery-1.4.1.min.js>
https://ap.tnnua.edu.tw/CourseInfo/Show_Course_Map_File.aspx
<https://ap.tnnua.edu.tw/CourseInfo/Style/>
<https://ap.tnnua.edu.tw/CourseInfo/Style/Site.css>
<https://ap.tnnua.edu.tw/CourseInfo/Style/Styles.css>
<https://ap.tnnua.edu.tw/CourseInfo/Styles/>
<https://ap.tnnua.edu.tw/CourseInfo/Styles/Default.css>
<https://ap.tnnua.edu.tw/CourseInfo/Styles/Site.css>
<https://ap.tnnua.edu.tw/CourseInfo/Styles/Styles.css>
<https://ap.tnnua.edu.tw/CourseInfo/TeacherCourseList.aspx>
<https://ap.tnnua.edu.tw/CourseInfo/WebResource.axd>